

Participant of the second second

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

## STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/41140/2017 Environment & Climate **Change Department** Room No. 217, 2<sup>nd</sup> Floor, Mantralaya, Mumbai- 400032.

То

M/s.HORIZON PROJECTS PVT. LTD., Village: Usarghar and Village: Sandap, District: Thane.

> : Environmental Clearance for proposed Integrated Township Project at Subject Village: Usarghar and Village: Sandap, District: Thane by M/s.HORIZON PROJECTS PVT. LTD.

Reference : Application no. SIA/MH/MIS/41140/2017

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 131<sup>st</sup> and 184<sup>th</sup> meeting under screening category 8 (b) B1 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 252<sup>nd</sup> (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA). 2.

Sr. No	llocerintion	Details				
1	Proposal Number	SIA/MH/MIS/41140/2022				
2	Name of Project	Environmental Clearance of Proposed Integrated Township Project at Village Usarghar and Village Sandap, District Thane in The Proposed Growth Centre of Kalyan, State Maharashtra				
3	Project category	8(b) – "Townships and Area Development" Category B				
4	Type of Institution	Private				
5	Project Proponent	Name	Horizon Projects Pvt Ltd			
		Regd. Office address	Runwal and Omkar Esquare, 5th floor, Off Eastern Express Highway, Sion (East), Mumbai 400 022			
	· · ·	Contact number	99872 63421			
		e-mail	gurudatta.deshmukh@runwal.com			
6	Consultant	BUILDING ENVIRONMENT (I) PVT. LTD. (QCI NABET ACCREDITTED) Certificate No. NABET/EIA/1922/SA 0136 Validity limit- 24.08.2022				
7	Applied for	Expansion				

Brief Information of the project submitted by you is as below:-

8	Location of th	e project		Village Usar	ghar S.No 17/	1, 17/2,	17/3/a, 17/3/b, 17/4,	
ľ				17/5, 19/1, 19/2, 19/3, 19/4, 20/3, 20/4, 20/5, 34/1, 36/1/a, 36/1/b, 37/1, 37/2, 38/1, 38/2, 38/3, 38/4, 70/9, 70/10, 70/11,				
							1/2, 91/3, 91/4, 91/5,	
							3/4, 103/5, 103/6/a,	
							10, 10 $3/11$ , 10 $3/12$ ,	
				103/13, 103/14/b, 103/15, 103/16, 103/17, 103/18, 106/2, 106/3, 107/1, 107/2/a, 107/2/b, 107/3, 107/4, 107/5, 107/6,				
							107/4, 107/3, 107/0, 107/13, 107/13, 107/13, 107/12, 107/13,	
							/18, 107/19, 107/20,	
							107/25b, 107/26a,	
							134/1, 134/2, 134/3	
							ring S. No. 2, 21/1.	
9	Latitude and I	ongitude		Latitude- 19°1	l0'49.36"N,			
		n an		Longitude- 73	° 4'33.74"E		ne of the second se Second second second Second second	
10	Plot Area (sq.1	<b>m.)</b>		5,23,650.00 so	<b>q.m</b>		917 - 1 1917 - 1	
11	Deductions (se	q.m.)	alen alen Gunar	31,372.28 sq.1	n		:	
12	Net Plot area	(sq.m.)		491917.72 sq.				
13		rage (m2) & %		148674.71 sq.				
	FSI Area (sq.n		<u> </u>	884992.79 sq.			la de la composición de la composición de la composición de la de la composición de	
	Non-FSI (sq.n			712882.74 sq.		5×.		
	1	t-up area (FSI +	Non	1597875.53 sq.m				
	FSI) (sq.m.)							
17	TBUA (m2) approved by Planning							
				3,25,698.23	<mark>n de s</mark> er s		4	
18		details with	lotal	1597875.53 s	<b>:q.m</b>			
10	Construction a			166151 74				
19	earlier	completed a	is per	166151.74 sq.m				
		n FSI) (sq.m.)	n ing Nganakan i					
20	· · · · · · · · · · · · · · · · · · ·	/ Existing Build	ding	Proposed Co	nfiguration		Reason for	
					Configuration	Height	Modification	
	Name		(m)			(m)	/ Change	
	Residential:	Lower Stilt +	68.9 m	Residential:	Lower Stilt +	68.9 m	SEIAA decided to	
		Upper Stilt + 1		Sale	Upper Stilt + 1		grant EC as per	
	12 Buildings			12 Buildings			MMRDA's CC no.	
	2.	Stilt/Lobby +	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Stilt/Lobby +		SROT /Growth	
		1 <sup>st</sup> to 20 <sup>th</sup>			1 <sup>st</sup> to 20 <sup>th</sup>		Centre / 2401 / BP / ITP – Amended	
		Floors Lower Stilt +	82.25	Residential:	Floors Lower Stilt +		Layout / Usargar –	
ļ		Lower Stilt + Upper Stilt + 1		Sale	Upper Stilt + 1		Sandap – 01 / 173 /	
	12 Buildings	**		12 Buildings			2020 dt 03.02.2020	
		Stilt/Lobby +		2 Dundings	Stilt/Lobby +		for FSI: 182038.27	
		$1^{\text{st}}$ to $25^{\text{th}}$			$1^{\text{st}}$ to $25^{\text{th}}$		sq.m, Non – FSI:	
		Floors			Floors		143659.96 sq.m and	
	Economically	3 Buildings:	22.45	Economically	-			
		Stilt + 7 Floors		Weaker	Stilt + 7 Floors		325698.23 sq.m.	
1	Section		2	Section			Now additional	

-

\_\_\_\_

ţ,

(EWS)		(EWS)		approval
Economica	Ily1 Building:19	.7 m Economically	1 Building:19.7 m	permissions hav
Weaker	Stilt + 6 Floors	Weaker	Stilt + 6 Floors	been received and
Section		Section		hence we ar
(EWS)		(EWS)		applying fo
Educationa	1 Part Ground +22	.85 Educational	Part Ground +22.85 m	amendment in EC fo
Building	Part Stilt + 5m	Building	Part Stilt + 5	additional BU
(School)	floors	(School)	floors	99,097.01sq.m (FS)
Mall	2 Basements +17		2 Basements +17.4 m	96,542.06 and No
	Ground + 3		Ground + 3	FSI: 2554.95).
	Floors		Floors	
Sports	Basement +	Sports	Basement +	
Complex			Ground + 1	
	Floor m		Floor 7.95 m	· .
Club Ho	useGround + 1		Ground + 1	- Collection - Col
(2  nos.)	1 1	00  m(2  nos.)	Floor 8.00 m	
	2 Basements +22		2 Basements $+22.2 \text{ m}$	1
Health Car	e: Ground + 5	Health Care:		
i icaitii Cai	Floors		Floors	
Phase II		Phase II		- 1999 -
Residentia	L Corrign Child 100		Lower Stilt +80.45 m	
Sale	Upper Stilt + 3m		Upper Stilt + 3	
	1 ** 1	8 Buildings	Podia +	
8 Building	Stilt/Lobby +	o Dununigs	Stilt/Lobby +	
	$1^{\text{st}}$ to $22^{\text{nd}}$	1 1 <u>-</u>	$1^{\text{st}}$ to $22^{\text{nd}}$	
	Floor		Floor	
Residentia		25 Desidential	Lower Stilt +83.35 m	
1	1			
Sale 8 Duilding	Upper Stilt + 4m s Podia +		Upper Stilt + 4 Podia +	
8 Building	Stilt/Lobby +	8 Buildings		
	$1^{\text{st}}$ to $22^{\text{nd}}$		Stilt/Lobby + 1 <sup>st</sup> to 22 <sup>nd</sup>	
	Floor		Floor	
		25 Desidential		4
	l: Lower Stilt +83			
Sale	Upper Stilt + 3m		Upper Stilt + 3	
8 Building		8 Buildings	Podia +	
	Stilt/Lobby + 1 <sup>st</sup> to 23 <sup>rd</sup> Floor		Stilt/Lobby + 1 <sup>st</sup> to 23 <sup>rd</sup> Floor	
- ENVO				-
EWS	I Building:22		1 Building: 22.45 m	l
	Stilt + 7 Floorsm		Stilt + 7 Floors	-
EWS	1 Building:14	1.2 mEWS	1 Building:14.2 m	
	Stilt + 4 Floors		Stilt + 4 Floors	4
LIG	5 Buildings:22		5 Buildings: 22.45 m	L.
	Stilt + 7 Floorsm		Stilt + 7 Floors	4
Sports		95 m Sports	Basement +7.95 m	
Complex	Ground + 1	Complex	Ground + 1	
	Floor		Floor	1
				1
Commerci	al 8 Podia + 2110	7.25 Commercial	8 Podia + 21107.25	

			-			ľ	·
	Market	2 Basements +	18.6 m	Market	2 Basements +	18.6 m	
		Ground + 4			Ground + 4	,	
		Floors			Floors		
		Ground + 1		Club House	Ground + 1		
		Floor	8.0 m	(3  nos.)	Floor	8.0 m	
	<u>`</u>		0.0 111	(5 1103.)		0.0 m	
<b></b>	Phase 3						
		Lower Stilt +			Lower Stilt +		
	Residential:	Upper Stilt + 2	80.45		Upper Stilt + 2		•
	Sale	roma –	a set dia k	Sale	Podia +	80.45 m	
	25 Buildings	Stilt/Lobby +	$\mathbf{m}_{\mathrm{spin}}$	25 Buildings	Stilt/Lobby +	and so a	
		1 <sup>st</sup> to 23 <sup>rd</sup> Floor			1 <sup>st</sup> to 23 <sup>rd</sup> Floor		
		4 Buildings:			4 Buildings:		
		Podium + Stilt			Podium + Stilt		
		- W	an a	<ul> <li>All the second se second second s second second se</li></ul>	Second States and States		e Alexandre de la companya de la comp Alexandre de la companya de la compa
		+ 21 Floors			+ 21 Floors		
	Commercial	3 Basements +	1. A 10 March 10	The second se	3 Basements +		
	building	Ground + 15	m	building	Ground + 15		
		Floors	an a	. – .	Floors		
			4 80 m			4.80 m	45.a
	Fire Brigade	Ground		Fire Brigade	Ground		
				i en distanti sun - di 19. stati			
	POLICE STATION	Ground + 1	7.65 m	Police station	Ground + 1	7.65 m	
		Floor			Floor	t en al	
	Bus Station	Ground	4.8 m	Bus Station	Ground	4.8 m	
	School	Stilt + 6 Floors	25.8 m	School	Stilt + 6 Floors	25.8 m	
					3 Basements +	• 5.1	
	Town Hall	3 Basements + Ground + 8	38.40	and the second		38.40 m	
			m			58.40 III	
	1 - 1 - 1	floors			floors		
	Public office	2 Basements + Ground + 10	33.60		2 Basements +		
	and Staff	Ground + 10	m	and Staff	Ground + 10	33.60 m	
÷ .	quarter	floors	<b>111</b> ag	quarter	floors		
	Club House	Ground + 1	0:00	Club House	Ground + 1		
		Floor	8.00 m		Floor	8.00 m	
21	<u>`</u>	anta fr Shana	· · · · · · · · ·	Phase I:	1001	<u> </u>	
21	No. of Tenem	ents & Shops			1. 10 D. 11.	. 1117	
1		i in the second			le 12 Buildings		
1					le 12 Buildings		·
1			1 C C C C C C C C C C C C C C C C C C C		Weaker Section	`` '	
1				Economically Weaker Section (EWS): 52			
				Educational Building: 91 classrooms			
				Health Care: :	· · · · · · · · · · · · · · · · · · ·		
				Phase II:			
				Residential Sale 12 Buildings: 1334			
			1 H F.	Residential Sale 12 Buildings: 1061			
				Residential Sale 12 Buildings: 1323			
				Economically Weaker Section (EWS): 104			
				Economically Weaker Section (EWS): 18			: 18
				Lower Income Group (LIG): 280			
				Phase III:			
				Residential: Sale: 4060			
				Lower Income Group (LIG): 492			
				School: 20	Coroup (DIO).	-1 <i>74</i>	
				penoor, 20			

4

	Total Population	97373						
<b>23</b> [	Total Water Requirements CMD	10366 KLD						
24	Under Ground Tank (UGT) location	Basement						
	Source of water	MIDC						
26	STP Capacity & Technology	22 Nos. of STP of	capacity	8737 K	LD		·	
		Technology: MBB						
27 🖞	STP Location	Underground						
	Sewage Generation CMD & % of							
s	sewage discharge in sewer line							
			1997 - 19 <sup>77</sup>					
				· · · · · ·				
	Solid Waste Management during Construction Phase	Type	Quantit	<b>y</b>	Treatmen	t /		
	Jonstruction Phase	<b>D</b>	(Kg/d)	<u></u> .	disposal			
		Dry waste	183381	cg/day	Handed authorize v	over	to	
		Wet waste	122261	raldan	Handed	over	to	
		wet waste		rg/uay	authorize v		to	
		Construction waste			Handed	over	to	
					recyclers.	0.00	.0	
30 ]	Total Solid Waste Quantities with	Туре	Quantit	y ·	Treatment /			
	type during Operation Phase &				disposal			
	Capacity of OWC to be installed	Dry waste	183381	cg/day	Handed	over	to	
					authorize v	endors.		
		Wet waste	122261	cg/day	Will be	treated	in	
					OWC.			
		E-Waste	1041 k	g/month	Handed	over	to	
			· · ·		uthorize recyclers. Used as manure.			
		STP Sludge (dry)			Used as m	anure.		
31 1	R.G. Area in sq.m.	RG required – 243	32 64 sc	1 m				
ΓΓ		RG provided on M		·	··· · · · · · · · · · · · · · · · · ·			
		RG provided on g			7 sq.m	sa.m		
			Fotal – 27232.07 sq.m					
		Existing trees on plot: 40 Nos.						
Number of trees to be pla				e planted:				
		In RG area: In Miyawaki Plantation (with area Number of trees to be cut:						
		Number of trees to be transplanted:						
32 fr	-	During Operation Phase:						
		DetailsConnected load (kW)106600 KWDemand load (kW)62727 KW						
Demand load (k w)				02121 ľ	<b>₩</b>			
┢──╋	Energy Efficiency	a) Total Energy saving (%): 22.40%						
33 E		b) Solar energy (%): 6.73%						

e en sel segue

÷

34	D.G. set capacity	6 DG sets of 750 kva Each, 17 DG sets of 625 KVA each, 8 DG sets of 320 KVA each, 4 DG sets of 125 KVA each		
35	No. of 4-W & 2-W Parking with 25% EV	<b>4W</b> 13676 Nos.	<b>2W:</b> 23940 Nos.	
	No. & capacity of Rain water harvesting tanks /Pits	22 Nos. of Rain water harvesting tanks of capacity 3985 KLD		
37	Project Cost in (Cr.)	5219.67 crores		
38	EMP Cost	Construction Phase: 331.03 Lakhs/yr Operation Phase: Capital Cost: 5770.24 Lakhs O & M Cost: 703.24 Lakhs/yr		
	CER Details with justification if anyas per MoEF&CC circular dated 01/05/2018			
40	Details of Court Cases/litigations w.r.t the project and project location, if any.	No such litigation is pending against the project , relating to environmental compliances.		

3. Proposal was earlier appraised in 131st meeting of SEAC-2 held on 06/03/2020 for total plot area of 5,29,210.00 Sq. Mtrs., BUA of 15,97,875.535 Sq. Mtrs. (FSI area of 8,84,992.792 Sq. Mtrs. & Non-FSI-area of 7,12,882.74 Sq. Mtrs.) and proposal was recommended to SEIAA for grant of EC. Proposal was then heard in 197th SEIAA meeting and EC dated: 31/03/2020 was granted & restricted for FSI area of 1,82,038.27 Sq. Mtrs., Non-FSI area of 1,43,659.96 Sq. Mtrs. and Total Construction Area of 3,25,698.23 Sq. Mtrs. as per the approval received from local planning authority. Now, PP has obtained further plan approval. Proposal has been considered by SEIAA in its 252<sup>nd</sup> (Day-2) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

# Specific Conditions:

A. SEAC Conditions-

- 1. 1.PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions there under as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.
- 2. PP to submit architect certificate mentioning there is no change in plot area, layout, building profile, environmental parameters and locations of environmental services which were appraised in 131<sup>st</sup> SEAC-2 meeting.
- 3. PP to submit affidavit mentioning there is no change in plot area, layout, building profile, environmental parameters and locations of environmental services which were appraised in 131<sup>st</sup> SEAC-2 meeting.
- 4. PP to submit certified six-monthly compliance report from Regional Office, MOEF&CC, Nagpur.

#### B. SEIAA Conditions-

- 1. This EC is only for cluster 4, cluster 5 and educational building as PP has has received CFO NOC for these buildings only.
- 2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- SEIAA after deliberation decided to grant EC for FSI 304431.74 m2, Non FSI-105021.99 m2, Total BUA- 409453.73m2. (Plan approval No.SROT/Growth Centre/2401/BP/ITP Amended Layout/Usarghar-Sandap-01/Vol-17/732/2022, dated-19.05.2.22& Amended CC no SROT/Growth Centre/2401/BP/ITP Amended Layout/Usarghar-Sandap-01/Vol-18/1188/2022, dated 08.09.2022).

### **General Conditions:**

### a) <u>Construction Phase :-</u>

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
  - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.

- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
  - XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
  - XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

#### **B)** Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an

independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.

- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
  - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
  - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
  - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions,

including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

### **C) General EC Conditions:-**

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without

prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Thane.
- 6. Commissioner, Thane Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Thane.

EC Identification No. - EC22B039MH180856 File No. - SIA/MH/NCP/41140/2017 Date of Issue EC - 24/11/2022 Page 13 of 13